
SSSSSSSSSSS YYY YYY SSSSSSSSSSS LLL OOOOOOOOO AAAAAAAAA
SSSSSSSSSSS YYY YYY SSSSSSSSSSS LLL OOOOOOOOO AAAAAAAAA
SSSSSSSSSSS YYY YYY SSSSSSSSSSS LLL OOOOOOOOO AAAAAAAAA
SSS YYY YYY SSS LLL OOO OOO AAA AAA
SSS YYY YYY SSS LLL OOO OOO AAA AAA
SSS YYY YYY SSS LLL OOO OOO AAA AAA
SSS YYY YYY SSS LLL OOO OOO AAA AAA
SSS YYY YYY SSS LLL OOO OOO AAA AAA
SSS YYY YYY SSS LLL OOO OOO AAA AAA
SSSSSSSSS YYY SSSSSSSSS LLL OOO OOO AAA AAA
SSSSSSSSS YYY SSSSSSSSS LLL OOO OOO AAA AAA
SSSSSSSSS YYY SSSSSSSSS LLL OOO OOO AAA AAA
SSS YYY SSS LLL OOO OOO AAAAAAAAAAAAAAA
SSS YYY SSS LLL OOO OOO AAAAAAAAAAAAAAA
SSS YYY SSS LLL OOO OOO AAAAAAAAAAAAAAA
SSS YYY SSS LLL OOO OOO AAA AAA
SSS YYY SSS LLL OOO OOO AAA AAA
SSSSSSSSSSS YYY SSSSSSSSSSS LLLLLLLLLLLLLLL OOOOOOOOO AAA AAA
SSSSSSSSSSS YYY SSSSSSSSSSS LLLLLLLLLLLLLLL OOOOOOOOO AAA AAA
SSSSSSSSSSS YYY SSSSSSSSSSS LLLLLLLLLLLLLLL OOOOOOOOO AAA AAA


CCCCCCCC SSSSSSSS PPPPPPPP CCCCCCCC JJ FFFFFFFFFF RRRRRRRR EEEEEEEEEE SSSSSSSS
CCCCCCCC SSSSSSSS PPPPPPPP CCCCCCCC JJ FFFFFFFFFF RRRRRRRR EEEEEEEEEE SSSSSSSS
CC SS PP PP CC JJ FF RR RR EE SS
CC SS PP PP CC JJ FF RR RR EE SS
CC SS PP PP CC JJ FF RR RR EE SS
CC SS PP PP CC JJ FF RR RR EE SS
CC SSSSSS PPPPPPPP CC JJ FFFFFFFF RRRRRRRR EEEEEEEE SSSSSS
CC SSSSSS PPPPPPPP CC JJ FFFFFFFF RRRRRRRR EEEEEEEE SSSSSS
CC SS PP CC JJ JJ FF RR RR EE SS
CC SS PP CC JJ JJ FF RR RR EE SS
CC SS PP CC JJ JJ FF RR RR EE SS ....
CC SS PP CC JJ JJ FF RR RR EE SS ....
CCCCCCCC SSSSSSSS PP CCCCCCCC JJJJJJ FF RR RR EEEEEEEEEE SSSSSSSS ....
CCCCCCCC SSSSSSSS PP CCCCCCCC JJJJJJ FF RR RR EEEEEEEEEE SSSSSSSS ....
LL IIIIII SSSSSSSS
LL IIIIII SSSSSSSS
LL II SS
LL II SS
LL II SS
LL II SS
LL II SSSSSS
LL II SSSSSS
LL II SS
LL II SS
LL II SS
LL II SS
LLLLLLLLLL IIIIII SSSSSSSS
LLLLLLLLLL IIIIII SSSSSSSS

```
0000     1          .TITLE  CSPCJFRES
0000     2          .IDENT  'V04-000'
0000     3
0000     4  ;****************************************************************************
0000     5  ;*                                                                          *
0000     6  ;*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY                                 *
0000     7  ;*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.                   *
0000     8  ;*  ALL RIGHTS RESERVED.                                                    *
0000     9  ;*                                                                          *
0000    10  ;*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED    *
0000    11  ;*  ONLY IN  ACCORDANCE WITH  THE  TERMS  OF  SUCH  LICENSE  AND WITH THE   *
0000    12  ;*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR  ANY  OTHER    *
0000    13  ;*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY    *
0000    14  ;*  OTHER PERSON.  NO TITLE TO AND OWNERSHIP OF  THE  SOFTWARE IS  HEREBY    *
0000    15  ;*  TRANSFERRED.                                                            *
0000    16  ;*                                                                          *
0000    17  ;*  THE INFORMATION IN THIS SOFTWARE IS  SUBJECT TO CHANGE WITHOUT NOTICE    *
0000    18  ;*  AND  SHOULD  NOT  BE  CONSTRUED AS  A COMMITMENT BY DIGITAL EQUIPMENT    *
0000    19  ;*  CORPORATION.                                                            *
0000    20  ;*                                                                          *
0000    21  ;*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE  OR  RELIABILITY OF ITS    *
0000    22  ;*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.                 *
0000    23  ;*                                                                          *
0000    24  ;*                                                                          *
0000    25  ;****************************************************************************
0000    26  ;
0000    27  ;++
0000    28  ;
0000    29  ; FACILITY:     Common Journaling Facility, Cluster Server Process
0000    30  ;
0000    31  ; ABSTRACT:     Routine running in the CSP acting on behalf of CJF to
0000    32  ;               resume the cluster failover sequence following the remastering
0000    33  ;               of Recovery Unit Journals.
0000    34  ;
0000    35  ; AUTHOR:       Paul R. Beck
0000    36  ;
0000    37  ; DATE:          9-SEP-1983 17:00       Last Edit:  9-SEP-1983 20:15:46
0000    38  ;
0000    39  ; MODIFIED BY:
0000    40  ;
0000    41  ;       V03-001 ADE0001         Alan D. Eldridge         6-Feb-1984
0000    42  ;               Minor cleanup.
0000    43  ;
0000    44  ;
0000    45  ;--
```

```
                                0000     47 ;
                                0000     48 ;  Symbol Definitions
                                0000     49 ;
                                0000     50
                                0000     51          $CLUBDEF
                                0000     52          $IPLDEF
                                0000     53
                                0000     54 ;
                                0000     55 ; This code must run at elevated IPL, so it gets locked down.
                                0000     56 ;
                            00000000     57 .PSECT  CJF$CSP_CODE    EXE,WRT
                                0000     58
                                0000     59
                                0000     60 ;
                                0000     61 ; The following two locations are filled in from CSP$CJFREMASTER by the
                                0000     62 ; MOST RECENT CALL to that routine.
                                0000     63 ;
                                0000     64 LOCK:                                        ; lock page from here to SYNCH
                        00000000  0000     65 FAILOVER_ID::   .LONG          0            ; most recent failover ID
                        00000000  0004     66 RESUME_ADDRESS::.LONG          0            ; address to call to resume
                                0008     67                                              ; failover sequence
                                0008     68
                            0000  0008     69 .ENTRY  CJF$RESUME_FAILOVER,^M<>
                                000A     70          ;
                                000A     71          ;
                                000A     72          ;    Get the address of the cluster failover control block
                                000A     73          ;
                                000A     74          ;
      50    00000000'GF    D0  000A     75          MOVL    G^CLU$GL_CLUB,R0                ; First, get the cluster block
      50    0000010C'EF    9E  0011     76          MOVAB   CLUB$B_CLUFCB,R0                ; ...which contains the failover blo
                                0018     77          ;
                                0018     78          ;
                                0018     79          ;    Synchronize, then just quit if it's the wrong failover sequence.
                                0018     80          ;    In that case, we expect to be called again with the correct one.
                                0018     81          ;
                                0018     82          ;
                                0018     83          SETIPL  SYNCH                           ; synchronize with cluster code
    1C A0    DE AF    D1  001F     84          CMPL    FAILOVER_ID,CLUFCB$L_ID(R0)     ; is this the correct failover?
                 03    12  0024     85          BNEQ    20$                             ; if NEQ, no: we're done.
                                0026     86          ;
                                0026     87          ;
                                0026     88          ;    Restart the failover sequence.  The return will also be at
                                0026     89          ;    IPL$_SYNCH, after some unknown amount of failover code is executed.
                                0026     90          ;    That is, eventually, failover code will fork, at which point, we
                                0026     91          ;    get control again.
                                0026     92          ;
                                0026     93          ;
                    DB BF    16  0026     94          JSB     @RESUME_ADDRESS                 ; resume failover sequence
                                0029     95 20$:     ;
                                0029     96          ;
                                0029     97          ;   That's it.
                                0029     98          ;
                                0029     99          ;
                                0029    100          SETIPL  #0                              ; back to normal IPL
                          04    002C    101          RET                                     ; return to caller
                                002D    102
                    00000008  002D    103 SYNCH:  .LONG   IPL$_SYNCH
```

```
0031    104
0031    105          ASSUME  <SYNCH - LOCK> LT 512
0031    106
0031    107 .END
```

```
CJF$RESUME_FAILOVER             00000008 RG    02
CLU$GL_CLUB                     ******** X     02
CLUB$B_CLUFCB                 = 0000010C
CLUFCB$L_ID                   = 0000001C
FAILOVER_ID                     00000000 RG    02
IPL$_SYNCH                    = 00000008
LOCK                            00000000 R     02
PR$_IPL                         ******** X     02
RESUME_ADDRESS                  00000004 RG    02
SYNCH                           0000002D R     02
```

Psect synopsis

PSECT name	Allocation	PSECT No.	Attributes
. ABS .	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
ABS	00000000 (0.)	01 (1.)	NOPIC USR CON ABS LCL NOSHR EXE RD WRT NOVEC BYTE
CJF$CSP_CODE	00000031 (49.)	02 (2.)	NOPIC USR CON REL LCL NOSHR EXE RD WRT NOVEC BYTE

Performance indicators

Phase	Page faults	CPU Time	Elapsed Time
Initialization	36	00:00:00.02	00:00:02.05
Command processing	143	00:00:00.49	00:00:02.14
Pass 1	160	00:00:01.48	00:00:06.40
Symbol table sort	0	00:00:00.12	00:00:00.37
Pass 2	36	00:00:00.31	00:00:01.23
Symbol table output	3	00:00:00.01	00:00:00.01
Psect synopsis output	0	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	381	00:00:02.45	00:00:12.22

The working set limit was 1200 pages.
9579 bytes (19 pages) of virtual memory were used to buffer the intermediate code.
There were 10 pages of symbol table space allocated to hold 176 non-local and 1 local symbols.
107 source lines were read in Pass 1, producing 16 object records in Pass 2.
11 pages of virtual memory were used to define 10 macros.

Macro library statistics

Macro library name	Macros defined
_255DUA28:[SYSLOA.OBJ]CLUSTER.MLB;1	0
_255DUA28:[SYS.OBJ]LIB.MLB;1	3
_255DUA28:[SYSLIB]STARLET.MLB;2	4
TOTALS (all libraries)	7

245 GETS were required to define 7 macros.

There were no errors, warnings or information messages.

```
MACRO/LIS=LIS$:CSPCJFRES/OBJ=OBJ$:CSPCJFRES MSRC$:CSPCJFRES/UPDATE=(ENH$:CSPCJFRES)+EXECML$/LIB+LIB$:CLUSTER/LIB
```

CSPOPCOM
LIS

CSPWAIT
LIS

CSPRCPCAC
LIS

CSPCJFRES
LIS

CSPQUORUM
LIS

DISTRLKI
LIS

CSPMOUNT
LIS

CSPVECTOR
LIS

CSPCLIENT
LIS

DSTRDLCK
LIS

DSTRLOCK
LIS